


5.10

A wheather balloon with mass m and initial volume V_0 ascends in an isothermal atmosphere. Its envelope is loose up to the achievement of the maximal volume V_1 .



$$p_0 = 10^5 \text{ N/m}^2 \quad \rho_0 = 1,27 \text{ kg/m}^3 \quad m = 2,5 \text{ kg} \quad V_0 = 2,8 \text{ m}^3 \quad V_1 = 10 \text{ m}^3$$


$$R = 287 \text{ Nm/kgK} \quad g = 10 \text{ m/s}^2$$

- What is the necessary force to hold down the balloon before launch?
- In what altitude the balloon reaches its amximum volume V_1 ?

c) What ceiling reaches the balloon?

5.10

a) before launch



$$\begin{aligned}\sum F_z &= 0 = F_A - F_G - F_N - F_H \\ F_H &= F_A - (F_N + F_G) = \\ &= \rho_L(z=0)V_0g - mg = \\ &= (\rho_0V_0 - m)g = 10.6 \text{ N}\end{aligned}$$

5.10

b) z for $V = V_1$

perfectly loose for $V < V_1$

the envelope can change its volume


$$m_G = \text{const} = \rho_G V = \frac{p_G}{R_G T_G} V$$

$$p_i = p_a$$

The movement is quite slow: $\rightarrow T_i = T_a$

Assumption: isothermal atmosphere \rightarrow scale height relation

$$V = \frac{m_G R_G T_G}{p_G} \sim \frac{1}{p_G} = \frac{1}{p_L}$$



$$z = 0 \longrightarrow V = V_0$$

$$V(z) = V_0 e^{\frac{gz}{R_L T_0}}$$

$$V_1 = V(z = z_1) = V_0 e^{\frac{gz_1}{R_L T_0}}$$

$$\longrightarrow z_1 = \ln \frac{V_1}{V_0} \frac{R_L T_0}{g} \qquad \qquad \frac{p_0}{\rho_0} = R_L T_0$$

$$\longrightarrow \boxed{z_1 = \frac{p_0}{\rho_0 g} \ln \frac{V_1}{V_0}} = 10.0 \text{ km}$$

c)


$$z \leq z_1 : F_A = \rho_L V g = \frac{p_L}{R_L T_0} \frac{m_g R_G T_G g}{p_G} = \text{const}$$

→ The lift force onto a loose balloon is constant.
 $(T_L = T_G, g = \text{const})$

$$F_A(z \leq z_1) = \rho_0 V_0 g = \rho_L(z_1) V_1 g$$

$$F_A(z > z_1) = \rho_L(z) V_1 g$$

$$\begin{aligned} F_A(z > z_1) &= F_A(z \leq z_1) \cdot \frac{\rho_L(z)}{\rho_L(z_1)} = \\ &= F_A(z \leq z_1) \cdot e^{-\frac{g(z-z_1)}{R_L T_0}} \end{aligned}$$



ceiling: $\Sigma F_z = 0 \rightarrow mg = F_A$

$$= mg - \rho(z_{max})V_1g$$

$$\rightarrow \rho_0 e^{-\frac{gz_{max}}{R_L T_0}} = \frac{m}{V_1}$$

$$z_{max} = \frac{R_L T_0}{g} \ln \frac{V_1 \rho_0}{m} \frac{p_0}{\rho_0 g} \ln \frac{V_1 \rho_0}{m} =$$

$$= 12.8 \text{ km}$$